

```

/*****
*****
***** APPENDIX A *****
***** Least Square Lattice *****
***** Noise Cancelling *****
/* Example for ratiometric approach to noise cancelling */
#define LAMBDA 0.95

```

```

void OxLSL_NC( int    reset,
               int    passes,
               int    *signal_1,
               int    *signal_2,
               int    *signal_3,
               int    *target_1,
               int    *target_2) {

    int    i, ii, k, m, n, contraction;
static int    *s_a, *s_b, *s_c, *out_a, *out_c;
static float  Delta_sqr, scale, noise_ref;

```

```

if( reset == TRUE){
    s_a    = signal_1;
    s_b    = signal_2;
    s_c    = signal_3;
    out_a  = target_1;
    out_c  = target_2;
    factor = 1.5;
    scale  = 1.0 / 4160.0;

    * noise canceller initialization at time t=0 */

```

```

nc[0].berr = 0.0;
nc[0].Gamma = 1.0;

for(m=0; m<NC_CELLS; m++) {
    nc[m].err_a = 0.0;
    nc[m].err_b = 0.0;
    nc[m].Roh_a = 0.0;
    nc[m].Roh_c = 0.0;
    nc[m].Delta = 0.0;
    nc[m].Fwsqr = 0.00001;
    nc[m].Bwsqr = 0.00001;
}

```

```

/***** END INITIALIZATION *****/

```

```

for(k=0; k<passes; k++){
    contraction = FALSE;
    for(m=0; m< NC_CELLS; m++) {
        nc[m].berr1 = nc[m].berr;
        nc[m].Bwsqr1 = nc[m].Bwsqr;
    }

    /* Update delay elements */

    noise_ref = factor * log(1.0 - (*s_a) * scale)
                - log(1.0 - (*s_b) * scale);
    nc[0].err_a = log(1.0 - (*s_b) * scale);
    nc[0].err_b = log(1.0 - (*s_c) * scale);

```

```

++s_a;
++s_b;
++s_c;

```

```

nc[0].ferr = noise_ref ;
nc[0].berr = noise_ref ;
nc[0].Fwsqr = LAMBDA * nc[0].Fwsqr + noise_ref * noise_ref;
nc[0].Bwsqr = nc[0].Fwsqr;

```

```

/* Order Update */
for(n=1; ( n < NC_CELLS) && (contraction == FALSE); n++) {

```

```

    /* Adaptive Lattice Section */

```

```

    m = n-1;
    ii= n-1;

```

```

    nc[m].Delta *= LAMBDA;
    nc[m].Delta += nc[m].berr1 * nc[m].ferr / nc[m].Gamma ;
    Delta_sqr = nc[m].Delta * nc[m].Delta;

```

```

    nc[n].fref = -nc[m].Delta / nc[m].Bwsqr1;
    nc[n].bref = -nc[m].Delta / nc[m].Fwsqr;

```

```

    nc[n].ferr = nc[m].ferr + nc[n].fref * nc[m].berr1;
    nc[n].berr = nc[m].berr1 + nc[n].bref * nc[m].ferr;

```

```

    nc[n].Fwsqr = nc[m].Fwsqr - Delta_sqr / nc[m].Bwsqr1;
    nc[n].Bwsqr = nc[m].Bwsqr1 - Delta_sqr / nc[m].Fwsqr;

```

```

    if( (nc[n].Fwsqr + nc[n].Bwsqr) > 0.00001 || (n < 5) ) {
        nc[n].Gamma = nc[m].Gamma - nc[m].berr1 * nc[m].berr1 / nc[m].Bwsqr1;
        if(nc[n].Gamma < 0.05) nc[n].Gamma = 0.05;
        if(nc[n].Gamma > 1.00) nc[n].Gamma = 1.00;
    }

```

```

    /* Joint Process Estimation Section */

```

```

    nc[m].Roh_a *= LAMBDA;
    nc[m].Roh_a += nc[m].berr * nc[m].err_a / nc[m].Gamma ;
    nc[m].k_a = nc[m].Roh_a / nc[m].Bwsqr;
    nc[n].err_a = nc[m].err_a - nc[m].k_a * nc[m].berr;

```

```

    nc[m].Roh_c *= LAMBDA;
    nc[m].Roh_c += nc[m].berr * nc[m].err_b / nc[m].Gamma ;
    nc[m].k_c = nc[m].Roh_c / nc[m].Bwsqr;
    nc[n].err_b = nc[m].err_b - nc[m].k_c * nc[m].berr;

```

```

}
else {
    contraction = TRUE;
    for(i=n; i<NC_CELLS; i++) {
        nc[i].err_a = 0.0;
        nc[i].Roh_a = 0.0;
        nc[i].err_b = 0.0;
        nc[i].Roh_c = 0.0;
        nc[i].Delta = 0.0;
        nc[i].Fwsqr = 0.00001;
        nc[i].Bwsqr = 0.00001;
        nc[i].Bwsqr1 = 0.00001;
    }
}

```

25900T TEE4597

```
    }  
  }  
}  
*out_a++ = (int)( (-exp(nc[ii].err_a) +1.0) / scale) ;  
*out_c++ = (int)( (-exp(nc[ii].err_b) +1.0) / scale) ;
```

```
}  
/***** Least Square Lattice *****/  
/*****  
/*****  
/*****/
```

069474-100697